

Fridge Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 2~8°C)

PHCL-C003 (Model: R-1500)

Thermograph: ESCORT,1116-0018

Date (dd-mmm-yy)	Current (AM)			Current (PM)			Max. & Min.			Comments
	Time (hh:mm)	Temp (°C)	Signature (Initials)	Time (hh:mm)	Temp (°C)	Signature (Initials)	Max.Temp (°C)	Min.Temp (°C)	Signature (Initials)	
01-May-17	09:03	4.6	~T~	17:00	4.8	STW	5.9	4.4	~T~	
02-May-17	09:18	4.7	~T~	18:05	4.8	~T~	5.4	4.5	~T~	
03-May-17	08:40	4.9	~T~	17:10	4.7	STW	5.3	4.2	~T~	
04-May-17	09:15	4.6	~T~	16:55	4.7	STW	5.3	4.5	~T~	
05-May-17	10:00	4.7	~T~	17:35	5.3	~T~	5.4	4.4	~T~	
08-May-17	08:40	4.8	~T~	17:07	4.8	STW	5.6	4.3	~T~	
09-May-17	09:10	4.9	~T~	17:00	4.9	STW	5.5	4.6	~T~	
10-May-17	09:42	5.0	~T~	17:25	5.1	STW	5.6	4.6	~T~	
11-May-17	09:28	4.9	~T~	17:00	4.8	STW	5.6	4.5	~T~	
12-May-17	08:15	5.1	~T~	17:00	4.7	STW	5.4	4.7	~T~	
15-May-17	09:05	4.8	~T~	18:00	4.9	~T~	5.4	4.7	~T~	
16-May-17	09:35	5.0	~T~	17:40	4.7	~T~	5.4	4.6	~T~	
17-May-17	09:37	4.8	~T~	17:52	4.7	~T~	5.4	4.5	~T~	
18-May-17	09:05	4.6	~T~	17:20	4.7	STW	5.4	4.3	~T~	
19-May-17	08:30	4.8	~T~	17:20	5.1	~T~	5.3	4.3	~T~	
22-May-17	08:15	4.7	~T~	17:40	4.6	~T~	5.3	4.4	~T~	
23-May-17	09:15	4.7	~T~	17:40	4.6	~T~	5.2	4.1	~T~	
24-May-17	09:05	4.4	~T~	17:20	4.4	~T~	5.3	4.3	~T~	
25-May-17	09:20	4.4	~T~	18:10	4.2	~T~	5.1	3.8	~T~	
26-May-17	08:24	4.2	~T~	17:00	4.2	STW	4.8	3.9	~T~	
29-May-17	08:31	4.2	~T~	18:05	4.1	~T~	4.9	3.9	~T~	
31-May-17	09:05	4.1	~T~	17:00	4.2	STW	4.8	3.9	~T~	

Na-~ 14/01 Jun 2017