

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~ 25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Sep-15	09:55	21.3	64.5	22.1	21.3		NTH
02-Sep-15	08:35	21.4	65.0	22.4	21.3		NTH
03-Sep-15	09:25	21.4	64.6	22.4	21.4		NTH
04-Sep-15	08:55	21.4	60.9	22.4	21.4		NTH
07-Sep-15	09:50	21.1	63.8	22.3	20.7		NTH
08-Sep-15	09:10	21.3	61.8	22.2	21.2		NTH
09-Sep-15	09:40	21.3	63.6	22.1	21.3		NTH
10-Sep-15	09:45	21.2	62.8	22.1	21.1		NTH
11-Sep-15	08:45	21.1	63.1	22.0	21.1		NTH
14-Sep-15	09:50	21.2	63.6	22.3	20.8		NTH
15-Sep-15	09:30	21.2	61.2	22.2	21.2		NTH
16-Sep-15	09:20	21.4	62.2	22.5	21.3		NTH
17-Sep-15	09:35	21.1	61.0	22.2	21.1		NTH
18-Sep-15	09:35	21.2	60.5	22.0	20.7		NTH
21-Sep-15	09:05	20.1	62.5	21.6	19.9		NTH
22-Sep-15	09:05 <small>NTH 22 Sep 2015</small>	20.6	61.9	22.0	20.4		NTH
23-Sep-15	08:15	20.5	59.7	22.2	20.5		NTH
24-Sep-15	09:30	20.7	62.2	22.3	20.7		NTH
25-Sep-15	09:05	21.7	60.9	22.7	21.7		NTH
29-Sep-15	11:05	21.3	64.8	21.9	20.9		NTH
30-Sep-15	09:30	21.1	64.3	22.2	21.1		NTH

Nai-Yu Ky 05 Oct 2015