

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
02-May-16	09:05	20.8	68.7	21.2	20.3		NTH
03-May-16	09:14	20.5	68.5	21.5	20.5		NTH
04-May-16	09:42	20.6	65.3	21.3	20.4		NTH
05-May-16	09:10	20.5	63.8	21.8	20.5		NTH
06-May-16	09:00	21.1	66.1	21.9	20.6		NTH
09-May-16	08:00	21.9	69.0	22.2	21.8		SHW
10-May-16	08:10	21.8	67.8	22.3	21.8		SHW
11-May-16	08:10	21.9	68.0	22.1	21.7		SHW
12-May-16	08:50	21.9	68.3	22.2	21.8		SHW
13-May-16	10:23	22.0	62.3	22.3	21.8		NTH
16-May-16	09:54	20.7	62.0	22.1	20.3		NTH
17-May-16	09:15	22.1	64.8	22.7	20.7		NTH
18-May-16	08:36	21.9	72.1	22.8	21.1		NTH
19-May-16	09:45	22.0	59.3	22.7	20.8		NTH
20-May-16	09:10	20.8	66.6	21.6	20.7		NTH
23-May-16	09:30	20.9	66.1	21.7	20.7		NTH
24-May-16	09:24	20.6	64.3	21.8	20.6		NTH
25-May-16	09:05	20.7	61.1	21.8	20.7		NTH
26-May-16	09:10	20.7	63.2	21.8	20.7		NTH
27-May-16	08:07	20.8	62.6	21.4	20.8		NTH
30-May-16	09:25	22.1	64.2	22.1	21.8		NTH
31-May-16	09:34	22.0	61.2	23.1	21.7		NTH

Nair-NTH 03 Jun 2016