

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Feb-16	09:50	21.5	60.1	22.1	20.7		NTH
02-Feb-16	09:25	21.2	50.9	22.1	21.1		NTH
03-Feb-16	09:20	21.6	53.5	22.1	21.3		NTH
04-Feb-16	08:25	21.8	57.0	21.9	20.8		NTH
05-Feb-16	08:21	21.1	59.1	22.2	20.9		NTH
12-Feb-16	08:20	22.3	57.4	22.3	21.6		NTH
15-Feb-16	09:07	20.6 21.3	36.4 41.8	^{NTH 15 Feb 2016} 22.0	20.9		NTH
16-Feb-16	10:15	21.3	39.3	22.0	21.3		NTH
17-Feb-16	09:21	21.7	47.8	21.8	21.1		NTH
18-Feb-16	09:40	21.3	60.5	21.6	21.1		NTH
19-Feb-16	09:13	21.2	66.5	21.8	21.1		NTH
22-Feb-16	09:00	21.1	62.6	21.6	20.9		NTH
23-Feb-16	09:30	21.4	58.1	21.6	21.1		NTH
24-Feb-16	08:30	21.4	52.4	21.8	21.1		NTH
25-Feb-16	09:30	21.1	53.3	21.7	20.9		NTH
26-Feb-16	09:45	21.1	56.6	22.0	20.7		NTH

Nan -h NTH 02 Mar 2016