

# Room Temperature Log of VGHTC Clinical Trial Pharmacy

( Normal Range: 15°C ~ 25°C )

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Aug-17	09:25	19.8	63.4	21.2	19.6		~YH
02-Aug-17	08:10	20.8	64.2	21.4	19.9		~YH
03-Aug-17	09:12	19.9	59.0	21.3	19.9		~YH
04-Aug-17	09:05	19.9	57.3	21.3	19.9		~YH
07-Aug-17	08:15	19.6	58.9	21.4	19.6		SHW
08-Aug-17	08:05	20.2	59.0	21.8	20.2		SHW
09-Aug-17	08:10	20.3	58.5	21.8	20.3		SHW
10-Aug-17	08:05	20.3	58.9	21.8	20.3		SHW
11-Aug-17	08:05	20.1	58.2	21.8	20.1		SHW
14-Aug-17	08:54	20.3	60.9	21.3	19.9		~YH
15-Aug-17	09:05	20.1	57.8	21.6	20.1		~YH
16-Aug-17	09:05	20.1	58.8	21.4	19.9		~YH
17-Aug-17	08:05	19.9	55.3	22.1	19.9		SHW
18-Aug-17	08:55	20.4	60.0	21.9	20.4		~YH
21-Aug-17	08:55	19.6	64.2	21.8	19.2		~YH
22-Aug-17	09:50	20.4	61.1	21.8	20.1		~YH
23-Aug-17	08:50	20.7	62.5	21.6	20.4		~YH
24-Aug-17	09:00	20.1	59.2	21.8	20.1		~YH
25-Aug-17	09:10	20.3	68.3	21.8	20.1		~YH
28-Aug-17	09:35	21.3	61.2	22.0	20.3		~YH
29-Aug-17	10:05	20.6	58.6	21.8	20.3		~YH
30-Aug-17	09:31	20.6	64.2	21.9	20.2		~YH
31-Aug-17	09:45	20.6	58.6	21.1	20.3		~YH

Naik Hg 04 sep 2017