

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~ 25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Jul-16	09:20	20.7	61.4	22.2	20.6		NTH
04-Jul-16	09:40	21.3	62.3	21.6	20.6		NTH
05-Jul-16	09:01	20.7	59.4	21.5	20.7		NTH
06-Jul-16	08:20	20.9	59.7	21.9	20.8		NTH
07-Jul-16	09:45	20.9	60.8	21.9	20.7		NTH
08-Jul-16						Typhoon off	
				NTH 11 Jul 2016			
11-Jul-16	09:45	21.0	62.3	21.3	20.6		NTH
12-Jul-16	09:00	21.1	72.3	22.6	20.7		NTH
13-Jul-16	08:55	22.0	73.6	22.8	20.6		NTH
14-Jul-16	09:35	21.3	67.1	22.3	20.4		NTH
15-Jul-16	08:56	21.5	70.3	22.3	20.7		NTH
18-Jul-16	08:10	21.2	74.6	21.6	20.6	20.6 NTH 02 Aug 2016	STW
19-Jul-16	08:30	21.8	64.4	22.1	21.5		STW
20-Jul-16	08:42	21.7	65.3	22.1	21.3		NTH
21-Jul-16	09:15	21.5	64.4	22.1	21.2		NTH
22-Jul-16	08:20	21.7	65.1	22.4	21.4		NTH
25-Jul-16	08:25	22.3	62.4	22.3	21.8		NTH
26-Jul-16	09:16	21.5	60.8	22.1	21.3		NTH
27-Jul-16	08:05	21.4 STW 27 Jul 16	64.0	22.2	21.2		STW
28-Jul-16	08:30	21.3	64.8	22.3	21.2		STW
29-Jul-16	09:00	21.4	63.9	22.1	21.1		STW

Nai-h NTH 02 Aug 2016