

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~ 25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
03-Jul-17	09:13	19.4	63.6	20.8	19.3		~YH
04-Jul-17	09:16	19.8	62.3	21.1	19.6		~YH
05-Jul-17	08:20	19.6	58.3	20.6	19.6		~YH
06-Jul-17	09:15	20.2	63.1	21.1	20.1		~YH
07-Jul-17	08:30	19.8	61.5	20.9	19.7		~YH
10-Jul-17	08:23	19.5	60.5	21.2	19.4		~YH
11-Jul-17	09:05	20.4	59.0	21.1	20.3		~YH
12-Jul-17	08:25	20.1	58.0	21.2	20.1		~YH
13-Jul-17	09:05	20.9	59.1	22.0	20.7		~YH
14-Jul-17	09:20	21.1	59.5	21.8	20.7		~YH
17-Jul-17	08:30	19.6	60.0	20.5	19.5		~YH
18-Jul-17	09:15	20.1	61.2	20.9	19.7		~YH
19-Jul-17	09:08	20.2	62.3	20.9	19.9		~YH
20-Jul-17	09:20	20.2	60.8	20.8	19.8		~YH
21-Jul-17	09:15	20.2	59.1	21.1	19.9		~YH
24-Jul-17	08:10	20.8	61.3	21.8	20.7		SBHW
25-Jul-17	09:40	20.7	58.2	21.8	20.3		~YH
26-Jul-17	09:40	21.1	63.7	22.2	20.4		~YH
27-Jul-17	08:30	20.3	57.5	21.5	20.3		~YH
28-Jul-17	09:20	20.7	58.5	21.3	20.3		~YH
31-Jul-17	08:30	19.5	62.8	21.1	19.4		~YH

Na - L Hy 02 Aug 2017