

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0017)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Jun-17	09:45	20.2	62.2	21.1	19.5		~YH
02-Jun-17	09:26	19.8	69.8	20.9	19.2		~YH
05-Jun-17	08:37	19.7	66.4	21.7	19.5		~YH
06-Jun-17	09:05	20.3	73.7	21.9	19.8		~YH
07-Jun-17	09:15	22.2	66.4	22.4	21.9		~YH
08-Jun-17	09:45	22.2	65.6	22.4	22.1		~YH
09-Jun-17	08:15	22.4	67.3	22.6	22.2		~YH
12-Jun-17	08:20	22.3	67.7	22.5	20.9		~YH
13-Jun-17	09:18	21.2	70.4	22.1	20.9		~YH
14-Jun-17	09:35	21.8	66.6	22.2	21.3		~YH
15-Jun-17	09:16	21.6	69.9	22.0	21.3		~YH
16-Jun-17	08:41	21.4	70.1	22.2	21.0		~YH
19-Jun-17	08:15	22.4	71.1	22.6	21.3		~YH
20-Jun-17	09:45	22.3	67.1	22.5	21.9		~YH
21-Jun-17	08:35	22.3	66.0	22.5	20.5		~YH
22-Jun-17	09:17	19.9	59.5	21.1	19.9		~YH
23-Jun-17	09:55	20.4	59.6	21.3	19.7		~YH
26-Jun-17	08:15	19.5	60.3	21.2	19.4		~YH
27-Jun-17	09:15	20.0	61.2	21.3	19.7		~YH
28-Jun-17	08:25	20.1	59.3	21.3	19.9		~YH
29-Jun-17	09:10	20.2	58.9	21.4	20.1		~YH
30-Jun-17	09:45	20.2	57.4	21.2	20.1		~YH

Naresh H 03 Jul 2017