

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~ 25°C)

Model: ESCORT(1333-0017)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Jun-16	09:30	21.9	60.4	22.2	21.9		NTH
02-Jun-16	09:10	21.9	60.7	22.0	21.7		NTH
03-Jun-16	08:25	21.9	63.3	22.4	21.5		NTH
06-Jun-16	08:01	21.6	67.6	22.2	21.2		NTH
07-Jun-16	10:03	21.7	64.9	22.0	21.2		NTH
08-Jun-16	09:00	21.6	63.6	22.2	21.1		NTH
10-Jun-16	10:08	21.7	64.4	22.1	21.3		NTH
13-Jun-16	09:30	21.6	70.5	22.1	20.9		NTH
14-Jun-16	09:15	20.8	65.7	21.8	20.8		NTH
15-Jun-16	09:50	20.8	62.6	21.7	20.6		NTH
16-Jun-16	09:20	21.3	62.4	21.5	20.7		NTH
17-Jun-16	09:40	20.8	63.0	21.4	20.7		NTH
20-Jun-16	08:35 08:35	21.0 21.3	63.5 57.0	21.3	20.6		NTH
21-Jun-16	09:35	20.8	59.6	21.6	20.5		NTH
22-Jun-16	09:35	21.1	58.3	21.7	20.8		NTH
23-Jun-16	09:45	20.7	59.6	21.6	20.7		NTH
24-Jun-16	08:10	20.9	57.3	21.3	20.7		NTH
27-Jun-16	09:31	21.4	58.8	21.6	20.7		NTH
28-Jun-16	09:45	21.1	59.1	21.9	20.5		NTH
29-Jun-16	08:10	20.7	58.4	21.8	20.7		NTH
30-Jun-16	09:05	20.9	56.0	21.6	20.7		NTH

NTH 07 Jul 2016