

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Oct-15	09:35	21.3	62.9	22.3	21.3		NTH
02-Oct-15	09:40	21.4	63.0	22.3	21.3		NTH
05-Oct-15	08:35	21.3	63.6	22.6	21.3		NTH
06-Oct-15	08:55	21.4	61.9	22.6	21.3		NTH
07-Oct-15	09:10	21.3	63.7	22.4	21.2		NTH
08-Oct-15	09:15	21.2	62.5	22.2	21.2		NTH
12-Oct-15	09:45	20.7	65.5	21.3	20.6		NTH
13-Oct-15	09:45	21.3	63.9	21.8	20.9		NTH
14-Oct-15	09:25	20.7	65.0	21.4	20.6		NTH
15-Oct-15	09:10	20.6	65.4	21.3	20.6		NTH
16-Oct-15	09:30	20.6	65.4	21.3	20.6		NTH
19-Oct-15	08:10	21.4	66.0	21.9	20.8		NTH
20-Oct-15	09:00	20.7	65.1	21.9	20.7		NTH
21-Oct-15	09:45	21.3	64.7	21.9	21.1		NTH
22-Oct-15	09:00	21.1	65.7	21.9	21.1		NTH
23-Oct-15	09:45	21.1	64.5	22.0	21.1		NTH
26-Oct-15	09:00	21.0	66.3	21.9	20.9		NTH
27-Oct-15	09:35	21.2	65.4	21.9	21.1		NTH
28-Oct-15	08:35	21.1	65.1	22.0	21.1		NTH
29-Oct-15	09:55	21.2	66.7	22.0	20.9		NTH
30-Oct-15	09:45	21.1	65.6	22.0	21.1		NTH

Nai-Nu My 04 Nov 2015