

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Feb-17	09:30	21.6	61.1	21.9	20.8		NTH
02-Feb-17	09:10	21.6	53.3	22.2	20.7		NTH
03-Feb-17	09:20	21.8	56.2	22.6	21.1		NTH
06-Feb-17	10:50	21.7	61.2	22.1	21.1		NTH
07-Feb-17	09:20	21.4	55.6	22.0	21.1		NTH
08-Feb-17	09:20	21.4	60.6	22.1	21.1		NTH
09-Feb-17	09:15	21.4	45.3	22.0	21.1		NTH
10-Feb-17	09:30	20.8	38.5	22.0	20.8		NTH
13-Feb-17	09:15	21.1	46.4	22.3	20.7		NTH
14-Feb-17	09:05	22.0	49.0	22.6	22.0		NTH
15-Feb-17	09:25	22.1	57.0	22.4	21.8		NTH
16-Feb-17	08:50	22.1	54.8	22.3	21.8		NTH
17-Feb-17	09:05	22.1	49.7	22.4	21.3		NTH
20-Feb-17	08:53	21.7	62.9	22.2	20.9		NTH
21-Feb-17	09:06	21.2	65.2	22.0	21.1		NTH
22-Feb-17	09:19	21.8	68.8	22.1	21.1		NTH
23-Feb-17	09:50	21.7	72.9	22.2	21.2		NTH
24-Feb-17	08:50	21.4	55.1	22.0	21.2		NTH
27-Feb-17	08:25	20.4	51.8	21.8	20.3		NTH

Notified on mar 2017