

## Room Temperature Log of VGHTC Clinical Trial Pharmacy

( Normal Range: 15°C~25°C )

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Jul-15	10:05	22.4	63.4	23.0	22.2		NTH
02-Jul-15	09:15	22.4	62.1	23.1	22.2		NTH
03-Jul-15	09:00	21.8	58.3	22.6	21.8		NTH
06-Jul-15	08:45	20.6	60.4	22.4	20.5		NTH
07-Jul-15	09:15	22.0	60.8	22.8	22.0		NTH
08-Jul-15	09:10	21.9	59.6	22.6	21.9		NTH
09-Jul-15	09:05	21.9	61.1	22.7	21.9		NTH
10-Jul-15	09:45	22.2	62.2	22.7	22.0		NTH
13-Jul-15	10:05	22.0	62.9	22.7	21.8		NTH
14-Jul-15	09:20	22.1	61.6	23.1	22.0		NTH
15-Jul-15	08:30	22.2	59.8	23.1	22.2		NTH
16-Jul-15	09:00	22.2	60.4	23.0	22.0		NTH
17-Jul-15	09:30	21.6	59.7	22.7	21.3		NTH
20-Jul-15	09:15	20.6	61.2	22.0	20.5		NTH
21-Jul-15	09:15	20.6	59.4	21.9	20.6		NTH
22-Jul-15	09:25	20.6	58.3	21.9	20.6		NTH
23-Jul-15	09:05	20.3	59.4	21.8	20.3		NTH
24-Jul-15	08:15	20.3	58.0	21.9	20.3		NTH
27-Jul-15	09:30	21.4	60.8	22.1	20.9		NTH
28-Jul-15	09:00	21.1	59.8	22.3	21.1		NTH
29-Jul-15	08:55	20.7	58.3	21.9	20.7		NTH
30-Jul-15	09:10	20.6	58.5	21.8	20.5		NTH
31-Jul-15	09:05	20.6	58.9	21.9	20.5		NTH

NTH - NTH 04 Aug 2015