

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Apr-15	09:40	21.3	71.5	22.3	21.3		NTH
02-Apr-15	09:45	21.1	71.1	21.9	21.1		NTH
07-Apr-15	10:40	21.4 22.1	69.7 69.7	22.2	21.8		NTH
08-Apr-15	08:25	21.4	66.2	21.8	20.6		NTH
09-Apr-15	09:15	20.3	68.4	20.7	20.3		NTH
10-Apr-15	09:45	20.7	69.7	20.9	20.3		NTH
13-Apr-15	09:10	19.9	69.5	20.4	19.9		NTH
14-Apr-15	09:30	20.3	62.8	20.7	20.2		NTH
15-Apr-15	09:45	20.3	55.3	20.7	20.2		NTH
16-Apr-15	09:45	20.3	66.1	21.1	20.3		NTH
17-Apr-15	09:25	21.1	66.3	21.8	20.7		NTH
20-Apr-15	08:10	21.8	70.7	22.4	21.5		NTH
21-Apr-15	09:10	21.6	67.3	22.2	21.6		NTH
22-Apr-15	09:15	21.7	67.5	21.8	21.1		NTH
23-Apr-15	10:10	21.1	66.7	21.6	20.9		NTH
24-Apr-15	09:30	20.9	70.5	21.5	20.9		NTH
27-Apr-15	08:15	20.8	72.1	21.9	20.7		NTH
28-Apr-15	09:15	21.1	69.0	22.0	21.1		NTH
29-Apr-15	08:10	21.2	67.3	21.9	21.1		NTH
30-Apr-15	09:55	21.1	64.1	22.4	21.1		NTH

Nai - K N 01 May 2015