

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~ 25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Nov-17	09:45	21.5	62.3	22.7	20.3		ATG
02-Nov-17	09:00	22.0	71.0	23.2	21.5		ATG
03-Nov-17	08:10	22.0	82.5	22.8	20.6		ATG
06-Nov-17	08:25	20.3	69.5	20.9	20.3		ATG
07-Nov-17	09:13	20.6	63.6	20.7	20.2		STW
08-Nov-17	08:30	22.5 20.3	68.6 68.6	20.9	20.3		STW
09-Nov-17	08:10	20.3	62.1	20.8	20.3		YCS
10-Nov-17	08:10	20.3	65.9	21.1	20.3		YCS
13-Nov-17	08:34	20.4	69.7	20.6	20.3		ATG
14-Nov-17	09:40	20.6	69.9	20.7	20.3		STW
15-Nov-17	08:25	20.4	68.7	20.7	20.4		ATG
16-Nov-17	09:25	20.4	66.5	20.9	20.4		ATG
17-Nov-17	09:10	20.4	67.0	21.8	20.4		ATG
20-Nov-17	08:18	22.0	71.3	22.3	21.9		ATG
21-Nov-17	08:20	22.1	71.8	22.2	21.8		ATG
22-Nov-17	09:00	22.0	74.7	22.1	21.9		ATG
23-Nov-17	09:00	22.0	63.3	22.2	21.9		ATG
24-Nov-17	09:20	22.0	57.2	22.6	20.9		ATG
27-Nov-17	08:29	19.2	69.8	20.5	19.2		ATG
28-Nov-17	09:14	19.2	63.7	20.4	19.3		ATG
29-Nov-17	08:20	19.3	65.0	20.3	19.2		ATG
30-Nov-17	09:30	19.3	66.6	20.4	19.3		ATG

Nai-zy 04 Dec 2017