

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15-25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
05-Apr-17	08:30	21.3	56.7	21.9	19.7		NYH
06-Apr-17	09:30	19.8	62.5	20.4	19.6		NYH
07-Apr-17	08:15	20.1	66.1	20.7	20.1		NYH
10-Apr-17	09:05	20.1	64.7	20.6	19.7		NYH
11-Apr-17	09:45	20.4	61.2	20.8	20.1		NYH
12-Apr-17	08:30	20.3	65.5	21.3	20.3		NYH
13-Apr-17	09:20	21.3	65.6	21.6	21.3		NYH
14-Apr-17	10:20	21.7	74.9	22.4	21.3		NYH
17-Apr-17	08:10	21.5	72.2	22.6	21.4		NYH
18-Apr-17	09:25	22.4	66.9	22.4	20.3		NYH
19-Apr-17	08:25	20.3	62.8	21.3	20.1		NYH
20-Apr-17	09:15	20.1	63.1	21.6	20.1		NYH
21-Apr-17	09:05	20.2	61.8	21.3	20.1		NYH
24-Apr-17	08:40	20.2	66.5	21.0	19.9		NYH
25-Apr-17	09:42	20.3	66.2	20.9	20.2		NYH
26-Apr-17	09:37	20.4	64.2	21.1	20.2		NYH
27-Apr-17	09:26	20.3	64.2	20.7	20.3		NYH
28-Apr-17	08:25	20.2	58.8	20.7	20.2		NYH

Na-ny 01 May 2017