

# Room Temperature Log of VGHTC Clinical Trial Pharmacy

( Normal Range: 15°C ~ 25°C )

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Sep-16	09:30	21.9	63.7	22.3	21.6		NTH
02-Sep-16	08:05	21.8	63.5	22.4	21.7		SHW
05-Sep-16	09:00	20.8	62.1	21.7	20.6 <del>20.7</del>	NTH 07/09/2016	NTH
06-Sep-16	09:10	20.6	59.4	21.3	20.6		NTH
07-Sep-16	08:55	20.6	60.9	21.9	20.6		NTH
08-Sep-16	09:30	21.0	63.3	21.3	20.8		NTH
09-Sep-16	08:40	20.8	60.1	21.4	20.7		NTH
12-Sep-16	08:40	20.7	62.8	21.3	20.6		NTH
13-Sep-16	09:30	20.7	63.7	21.2	20.3		NTH
14-Sep-16	09:25	20.8	61.4	21.0	20.4		NTH
15-Sep-16				NTH 16 Sep 2016		Moon Festival	
16-Sep-16	09:15	20.7	60.9	21.6	20.7		NTH
19-Sep-16	09:25	21.3	60.8	22.3	20.9		NTH
20-Sep-16	10:15	22.2	68.0	23.1	21.3		NTH
21-Sep-16	09:34	22.5	71.5	22.8	21.5		NTH
22-Sep-16	09:50	22.0	71.9	23.1	21.5		NTH
23-Sep-16	09:16	22.2	72.9	23.1	21.5		NTH
26-Sep-16	09:27	22.7	68.3	23.2	22.1		NTH
27-Sep-16	09:15	22.8	73.0	23.2	22.4		NTH
28-Sep-16	08:13	22.3	75.5	23.1	22.2		NTH
29-Sep-16	09:27	22.7	71.0	22.8	21.1		NTH
30-Sep-16	09:31	21.2	63.5	21.8	21.1		NTH

NTH 07/09/2016