

Room Temperature Log of VGHTC Clinical Trial Pharmacy

(Normal Range: 15°C ~25°C)

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Jun-15	08:05	21.3	65.8	22.3	21.3		NTH
02-Jun-15	09:30	21.4	65.9	22.6	21.3		NTH
03-Jun-15	08:50	21.5	64.0	22.7	21.5		NTH
04-Jun-15	09:25	21.8	63.5	22.9	21.8		NTH
05-Jun-15	09:25	21.9	63.2	22.8	21.8		NTH
08-Jun-15	08:05	21.4	64.9	22.3	21.4		SHW
09-Jun-15	08:05	21.6	63.0	22.6	21.6		SHW
10-Jun-15	08:05	22.1	61.5	23.2	22.1		SHW
11-Jun-15	08:00	23.6	69.5	23.6	22.8		SHW
12-Jun-15	09:05	22.6	64.7	23.2	22.6		NTH
15-Jun-15	09:30	23.2	62.1	23.6	22.4		NTH
16-Jun-15	09:50	22.5	57.5	23.2	22.4		NTH
17-Jun-15	08:55	22.6	56.0	23.0	21.8		NTH
18-Jun-15	09:20	21.9	55.4	22.4	21.7		NTH
22-Jun-15	09:45	21.2	59.0	22.3	20.9		NTH
23-Jun-15	09:15	22.2	54.1	22.6	21.7		NTH
24-Jun-15	09:15	21.3	58.3	22.2	21.2		NTH
25-Jun-15	09:45	21.1	60.2	22.4	21.0		NTH
26-Jun-15	10:15	21.1	61.0	22.0	20.7		NTH
29-Jun-15	10:30	21.2	61.0	22.3	20.6		NTH
30-Jun-15	09:15	20.7	60.9	22.3	20.7		NTH

Nair-NTH 02 Jul 2015