

# Room Temperature Log of VGHTC Clinical Trial Pharmacy

( Normal Range: 15°C ~ 25°C )

Model: ESCORT(1333-0016)

Date (dd-mmm-yy)	Time (hh:mm)	Current Temp(°C)	Current Humidity(%)	Maximum Temp(°C)	Minimum Temp(°C)	Comments	Signature (Initials)
01-Nov-16	09:20	22.2	65.9	22.5	21.6		NTH
02-Nov-16	09:58	22.4	64.1	22.8	22.0		NTH
03-Nov-16	09:15	22.4	62.2	22.6	21.9		NTH
04-Nov-16	09:40	22.2	62.7	22.6	22.1		NTH
07-Nov-16	09:30	21.9	66.3	22.2	21.1		NTH
08-Nov-16	09:30	21.9	64.0	22.1	21.3		NTH
09-Nov-16	09:20	21.1	57.6	21.9	20.8		NTH
10-Nov-16	09:35	21.1	63.8	21.5	20.9		NTH
11-Nov-16	09:05	21.1	67.9	21.6	21.1		NTH
14-Nov-16	09:50	21.1	64.1	21.4	21.1		NTH
15-Nov-16	09:28	20.9	66.6	21.8	20.7		NTH
16-Nov-16	08:58	20.8	65.3	21.7	20.8		NTH
17-Nov-16	09:20	20.8	64.1	21.8	20.7		NTH
18-Nov-16	10:16	21.1	62.0	22.9	20.7		NTH
21-Nov-16	09:45	21.6	72.9	22.4	21.4		NTH
22-Nov-16	09:12	22.3	68.2	23.1	21.7		NTH
23-Nov-16	09:45	22.1	78.4	23.2	21.8		NTH
24-Nov-16	10:00	22.3	68.8	22.4	20.9		NTH
25-Nov-16	09:50	21.7	69.6	22.4	20.8		NTH
28-Nov-16	09:10	20.9	67.2	21.9	20.6		NTH
29-Nov-16	09:10	21.3	67.3	21.8	19.8		NTH
30-Nov-16	09:50	20.2	64.2	21.8	19.8		NTH

Naitik Hg 06 Dec 2016